

NOV 21 2005

PTO/SB/21 (09-04)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	10/694,202	
	Filing Date	10/27/2005	
	First Named Inventor	Joudahl	
	Art Unit	2859	
	Examiner Name	Verbitsky	
Total Number of Pages in This Submission	7	Attorney Docket Number	

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input checked="" type="checkbox"/> Amendment/Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Allowance Communication to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (please identify below):
Remarks		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name	Law Office of Neal O. Willmann		
Signature	<i>Neal O. Willmann</i>		
Printed name	Neal O. Willmann		
Date	November 21, 2005	Reg. No.	28,132

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:			
Signature	<i>Neal O. Willmann</i>		
Typed or printed name	Neal O. Willmann	Date	November 21, 2005

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Neal O. Willmann

Attorney at Law

Patents, Trademarks & Copyrights *and related matters*

P.O. Box 42512

Cincinnati, OH 45242-0512

(513) 544-4037

November 21, 2005

Applicant: Marlow C. Jordahl
Application No. 10/694,202
Filed: Oct 27, 2003
Title: Method and Device

Art Unit 2859
Examiner Verbitsky

RECEIVED
CENTRAL FAX CENTER
NOV 21 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
VIA FACSIMILE
571-273-8300

Sir: **Amendment & Response to an Office Action**

In response to the Office Action mailed Aug. 23, 2005, initially rejecting Claims 10-14 in the pending application, please consider the following.

Claim Objections

The Examiner has objected to Claim 10 because of an informality, viz., the absence of the word "located" to aid in describing where the temperature sensing means is positioned. Applicant will authorize the amendment of Claim 10 accordingly.

Claim Rejections

Claims 10 and 12-14 are rejected under 35 USC 103(a) as obvious over Hutchinson (USP 6,393,212) in view of Starnier et al. (6,386,272).

Essentially, Hutchinson describes a small, portable steam generating system for providing super-heated steam to a surface cleaning apparatus. As the Examiner points out, the Hutchinson generator 10 has a heating element 15 for heating water and generating steam.

Furthermore, Hutchinson has a microprocessor control system 22 that monitors steam temperature through transducer 90, steam pressure through transducer 92 and internal heater coil 15 through transducer 94 (col. 10, line 33). However, in lines 46 and 47, Hutchinson alleges that the temperature within heater 15 is controlled via thermocouple 94. Regardless of whether Hutchinson teaches using a thermocouple or a transducer, neither is being used as a sensor and neither could be used in the claimed device.

www.cincinnatiipatent.com

neal@cincinnatiipatent.com

Hutchinson refers to 94 as both a thermocouple and a transducer. Applicant would point out that a transducer cannot sense temperature change and that Hutchinson's reference to "transducer" is incorrect and that the term "thermocouple" should have been used. Thus, Hutchinson is using either a thermocouple or a transducer 94 to actuate a fuse or a relay that de-energizes power to the heater coil 15 to prevent the heater coil from over heating. Applicant is using the sensor in the claimed device to detect a gradual change in temperature within the sensor to indicate an altered state within a liquid system.

The Examiner observes that Hutchinson states that the heater 15 surface is susceptible to calcium (scale) build-up. Actually, Hutchinson mentions in Claim 9, of all places, that microboiling at the surface of the heater element 15 is prevented by the turbulence created by the baffles and "scouring of the heater surface to minimize build-up of calcium on heater surface." Applicant is not sure what that means, but Applicant is willing to concede that calcium accumulation in the form of scale is a recognized problem in boilers, dishwashers and all other heated liquid systems.

And although Applicant does not see where Hutchinson states that the walls of the boiler are susceptible to scale accumulation, as observed by the Examiner, such a condition would not be surprising because as stated above, scale is a recognized problem in heated liquid systems. Still, Hutchinson does not address scale accumulation on the walls of the boiler.

And, finally, with regard to Hutchinson, the Examiner notes that Hutchinson does not explicitly teach to detect the build-up/accumulation (altered state). Applicant, of course, agrees with this observation.

With regard to Starnier et al. (hereinafter "Starnier"), the Examiner suggests that "Starnier discloses in Fig. 4 a device in the field of applicants endeavor comprising a temperature sensor 52 within a tube and leads (signal means) also at least partially located within the tube and providing a temperature indicative signal to a control device (fouling calculation). This signal, along with signals from other temperature sensors is indicative of a temperature, and thus, any temperature change indicative of an altered state (fouling/build-up, accumulation of scale) to, inherently, alert or notify the operator of controlling device." [sic]

Then the Examiner adds that it would have been obvious to one of ordinary skill in the art to modify the device of Hutchinson--- "to measure temperature profile of the tubes, as taught by Starnier, so as to use the temperature sensor with the leads (signal means) within the tube and use the data not only for sensing the temperature within the tube, but also for determining a fouling (accumulation/build-up/deposit) in the tube, so as to allow the operator to take necessary actions to minimize the accumulation of scale, in order to protect the device from damage." [sic]

Applicant respectfully disagrees with the Examiner's characterization that the combined teachings of Hutchinson and Starner obviate the claimed invention.

The claimed invention consists of a tube containing a heating means, a temperature sensing/detecting means and a signal means working in concert to detect and indicate an increase in temperature within the tube.

In use, the claimed device is placed in a liquid system, for instance, a water heater. The internal heat source within the tube establishes a base-line temperature within the tube. As the liquid system operates, typically, over a period of months, conditions within the liquid system change. In almost all instances, those changed conditions, e.g., scale accumulation, will cause the temperature of the liquid system to decrease, thus diminishing the efficiency of the system. Because the claimed device is placed within the liquid system, scale will also build-up on the exterior of the claimed device just as it does throughout the system. This accumulated scale will act as an insulator, trapping heat from the internal heating means and not allowing it to escape or radiate from the device. As the scale continues to accumulate, becoming thicker on the exterior of the claimed device, the trapped heat will cause an increasingly higher temperature within the device, and the higher temperature will be detected by the internal heat sensor/detector means, which will, in turn, generate a generally recognized signal indicating the altered condition and need for an appropriate response.

In its most relevant teaching, the Hutchinson reference describes a steam generating system comprising a cylinder 10 and a heating body 15 for heating the water in the cylinder 10 to generate steam. The internal temperature of the heating body 15 appears to be governed by a thermocouple or transducer 94. The purpose of the thermocouple/transducer 94 is to prevent the heating body 15 from overheating. It monitors nothing but a threshold temperature, at which time or point it shuts off energy to the heater 15.

The claimed device is a tube containing a heating means to establish and maintain a constant or base-line temperature within the device. The heating means of the claimed device is very small. It neither heats nor is it intended to heat or increase the temperature of the water in the liquid system in which the claimed device is placed. The heating means is used in conjunction with its own internal sensing device to establish a baseline temperature. The sensing means within the tube continuously monitors the temperature within the tube, and when scale accumulation on the outside of the tube causes the internal temperature to reach a predetermined level, a signal means within the tube sends a detectable signal to alert the operator of the system of the existence of an altered state.

The Starner device is essentially a heat exchanger having two sensors: a temperature sensor 30 on the tube wall surface and sensor 50 inside the tube. According to Starner, the temperature difference between the tube wall and the water within the tube is a measure of the change of thermal resistance in the tubes caused by fouling.

The differences between Starnier and the claimed device are significant and numerous. It is important to note that the two sensors of Starnier take pairs of readings at predetermined intervals to provide differential data that are transmitted by leads to a processor for calculation and determination if fouling exists.

In contrast to Starnier, the claimed device is always functioning. In the claimed device, the heating means is establishing and maintaining an internal temperature; the sensing means is monitoring to detect temperature changes within the device and a signal means remains poised to alert the operator when the increase in temperature is sufficient to indicate an altered state in the liquid system.

The Examiner's conclusion that it would have been obvious to one skilled in the art to modify the device of Hutchinson to measure the temperature profile of tubes as taught by Starnier is not logical. Hutchinson, at the very most, suggests that the turbulence in his boiler created by his baffles might scour the surface of his heater 15 to minimize the accumulation of scale. Hutchinson has arguably solved his scaling problem. Hutchinson has no interest or need in taking paired temperature readings, either on or within his heater. So, not only is there no reason or motivation for augmenting the teaching of Hutchinson with the teaching of Starnier, but the resulting device would neither resemble nor suggest the claimed device.

Stated differently, Hutchinson has no need to monitor changes in temperature. Hutchinson needs to detect when an elevated, and arguably dangerous, temperature is reached so that his heater will shut down. Introducing the paired sensors of Starnier into the Hutchinson device accomplishes nothing. Hutchinson does not need differential temperature readings. Hutchinson needs a temperature sensitive device (thermocouple) to cause a "break" when a threshold temperature is attained to protect his boiler.


The Examiner has also rejected pending Claim 11 under the authority of 35 USC 103(a) as obvious in view of the combined teachings of Hutchinson and Starnier as applied to Witt et al. (US Patent 6,428,627, hereinafter, Witt).

With regard to the rejection of Claim 11, the Witt reference relates to externalizing the heating element in a dishwasher to eliminate scale build-up or accumulation. The teaching in Witt has absolutely no relevance to a dishwasher (the liquid system of Applicant's Claim 11) equipped with the device defined by Applicant's Claim 10, especially as distinguished from the combined teachings of Hutchinson and Starnier as set forth above.

To summarize, Applicant respectfully disagrees with the Examiner's conclusions that combined teachings of Hutchinson and Starnier would lead anyone to devise the claimed device. Hutchinson has solved his scaling problem with baffles and Starnier takes periodic, paired temperature readings on the cooling tubes of a heat exchanger. These are totally different applications using heaters and sensors and they cannot be rationally combined or interchanged to effect the claimed device.

Applicant respectfully requests that the Examiner reconsider her rejection of the pending claims and, after reconsideration, find all claims, especially as amended herein, allowable over the prior art. A Notice of Allowance is requested.

Respectfully submitted,



Neal O. Willmann
Reg. No. 28,132
513 544-4037
neal@cincinnatiipatent.com